

Listing of Claims:

1. (Original) An optical element drive mechanism,
comprising:

a movable portion including at least an optical element
having a reflecting surface;

5 a support member for supporting the movable portion
rotatably with respect to a fixing member; and

a drive mechanism including at least a coil and a magnet for
driving the movable portion;

10 wherein a pole surface of the magnet is substantially
parallel to the reflecting surface of the movable portion.

2. (Currently Amended) The optical element drive mechanism
according to claim 1, wherein the coil includes an effective
portion which generates rotation torque, and a magnetic field
which is substantially in parallel with the reflecting surface of
5 the movable portion functions on ~~an~~ the effective portion of the
coil.

3. (Original) The optical element drive mechanism according
to claim 1, wherein a plurality of magnetic poles are provided on
the pole surface of the magnet.

4. (Original) The optical element drive mechanism according to claim 3, wherein the plurality of magnetic poles provided on the pole surface of the magnet are opposite to the movable portion.

5. (Currently Amended) The optical element drive mechanism according to claim 4, wherein the coil includes an effective portion which generates rotation torque, and the effective portion of the coil is positioned at a boundary portion between respective magnetic poles of the magnet.

6. (Original) The optical element drive mechanism according to claim 1, wherein the coil is attached to the movable portion.

7. (Currently Amended) The optical element drive mechanism according to claim 6, wherein the movable portion comprises the reflecting surface on a first side and the coil on a second side that is opposite to the first side.

8. (Original) The optical element drive mechanism according to claim 1, further comprising an array of a plurality of the movable portions.

9. (Original) The optical element drive mechanism according to claim 8, wherein the plurality of the movable portions are provided integrally with respective support members.

10. (Original) The optical element drive mechanism according to claim 8, wherein a magnetic flux generated by the magnet is adapted to drive the plurality of movable portions.

11. (Withdrawn - Currently Amended) ~~An The optical element drive mechanism according to claim 1, comprising: a movable portion including at least an optical element having a reflecting surface; a support member for supporting the movable portion~~
5 ~~rotatably with respect to a fixing member; and a drive mechanism including at least a coil and a magnet for driving the movable portion;~~ wherein the coil is provided between the magnet and the reflecting surface.

12. (Withdrawn - Currently Amended) The optical element drive mechanism according to claim 11, wherein the coil includes an effective portion which generates rotation torque, and a
5 magnetic field which is substantially parallel to the reflecting surface of the movable portion functions on an effective portion of the coil.

13. (Withdrawn) The optical element drive mechanism according to claim 11, wherein a plurality of magnetic poles are provided on a surface of the magnet.

14. (Withdrawn - Currently Amended) The optical element drive mechanism according to claim ~~11~~ 13, wherein the plurality of magnetic poles provided on the surface of the magnet are opposite to the movable portion.

15. (Withdrawn - Currently Amended) The optical element drive mechanism according to claim 14, wherein an the coil includes an effective portion which generates rotation torque, and the effective portion of the coil is positioned at a boundary portion between respective magnetic poles of the magnet.

16. (Withdrawn) The optical element drive mechanism according to claim 11, wherein the coil is attached to the movable portion.

17. (Withdrawn - Currently Amended) The optical element drive mechanism according to claim 16, wherein the movable portion comprises the reflecting surface on a first side and the coil on a second side that is opposite to the first side.

18. (Withdrawn) The optical element drive mechanism according to claim 11, further comprising an array of a plurality of the movable portions.

19. (Withdrawn) The optical element drive mechanism according to claim 18, wherein the plurality of the movable portions are provided integrally with respective support members.

20. (Withdrawn) The optical element drive mechanism according to claim 18, wherein a magnetic flux generated by the magnet is adapted to drive the plurality of movable portions.

21. (Withdrawn - Currently Amended) ~~An~~ The optical element drive mechanism according to claim 1, further comprising:

a plate including a plurality of the movable portions; ~~each having at least a reflecting surface;~~

5 a plurality of the support members, for supporting the movable portions; and

a plurality of the coils, provided on the movable portions; wherein ~~at least one~~ the magnet is provided in parallel with the reflecting surfaces so as to be opposite to the coils.

22. (Withdrawn) The optical element drive mechanism according to claim 21, wherein the magnet comprises a plurality of magnetic poles.

23. (Withdrawn) The optical element drive mechanism according to claim 21, wherein the magnet has a substantially flat plate shape.

24. (Withdrawn - Currently Amended) The optical element drive mechanism according to claim ~~21~~ 22, wherein the magnetic poles of the magnet are opposite to the movable portions.

25. (Withdrawn - Currently Amended) The optical element drive mechanism according to claim 21, wherein the coils include respective effective portions which generate rotation torque, and a magnetic field which functions on ~~an~~ the effective portion of the ~~coil~~ coils is substantially parallel to the reflecting surfaces.

26. (Withdrawn - Currently Amended) The optical element drive mechanism according to claim 21, wherein the ~~at least one~~ magnet ~~comprises~~ is a single magnet.

27. (Withdrawn - Currently Amended) The optical element drive mechanism according to claim 21, further comprising a housing for holding the plate and a plurality of the magnets.

28. (Withdrawn) The optical element drive mechanism according to claim 27, wherein the housing, the magnets and the plate are consecutively stacked.

29. (Withdrawn - Currently Amended) The optical element drive mechanism according to claim 21, wherein the movable portions each comprise the reflecting surface on a first side and the coil on a second side that is opposite to the first side.